


SETTING UP YOUR IMPACT BASELINE MARQUEE

1. Layout all hardware.

- A** Marquee Top
- B** Upright Support Legs
(Orange Dot inside of pole)
- C** Baseplate Footpad
- D** Cross Tension Wire
- E** Peak Pole
- F** Truss Bar
- G** Through Connection Bar
(Green Dot inside of pole)
- H** Corner Connection
- I** Ratchet Rope
- J** Ground Spike

1 piece
4 pieces
4 pieces
2 sets
1 piece
8 pieces
4 pieces
4 pieces
4 pieces
8 pieces



Shipping Dimensions



10' x 10': 111" x 50" x 40"; 278 lbs
20' x 20': 111" x 50" x 65"; 454 lbs
20' x 30': 111" x 50" x 70"; 658 lbs

Time to Install/Take Down


10' x 10': 15 minutes
20' x 20'/20' x 30': 20-25 minutes

of Persons for Installation

10' x 10': 1 person
20' x 20'/20' x 30': 2 persons



Upright
Support Leg



B

Truss Bar



F

Peak Pole



E

Baseplate
Footpad



C

Corner
Connection



H

Cross
Tension Wire



D

Through
Connection Bar



G

Ratchet Rope



I


Ground Spike





J

SETTING UP YOUR IMPACT BASELINE MARQUEE

2. Attach Truss bars to Middle Connector.





3. Attach the connected Truss Bars and Middle Connector to the Corner Connection.




SETTING UP YOUR IMPACT BASELINE MARQUEE

4. Hook Tension Wires to each Corner Connection.




5. Unfold the Top and lay it across the partially built Marquee structure with the corners meeting.




SETTING UP YOUR IMPACT BASELINE MARQUEE

6. Attach Baseplate Footpads to Upright Support Legs.




7. Attach Upright Support Legs to Corner Connections.




SETTING UP YOUR IMPACT BASELINE MARQUEE

8. Insert center Peak Pole.




9. Fit the Peak Pole over the cross section of the wires. Turn the Pole until the Wires fit into the four slots.



SETTING UP YOUR IMPACT BASELINE MARQUEE

10. Repeat steps 6 and 7 for remaining legs. Once Tent is fully upright, tighten Tension Wires.



11. Secure the top to the Marquee structure by inserting the hook from ratchet rope into the two d-rings hanging at each corner of the Tent. Secure other end of Rope to Footpad.



SETTING UP YOUR IMPACT BASELINE MARQUEE

12. Use ground spikes to secure to the ground.



NOTE: Your Baseline Marquee **MUST** be weighted down properly at all times. Weighting requirements vary by your location, shelter size, and the manner of use. Most cities or event spaces will have minimum weighting requirements. Check with your municipality or arena. Shelter is not intended for use in Extreme Weather.